

Your Wearing Guide

FOR YOUR SECOND SKIN TAILORED ARM SPLINT



General Information

Your Arm Splint is custom made to address your personal goals.

To achieve the best outcome, we recommend your splint is worn consistently for a minimum of 5 days a week, for the following number of hours:

• Children: 6 – 8 hours per day • Adults: 8 – 10 hours per day

Introduce your splint gradually over the first two weeks, as discussed with the Second Skin Therapy Team, until you reach the recommended wear time.

Your Second Skin Therapy Team will advise if there are any changes required to this wearing regime.

Important Information

- Splints must not be worn overnight unless recommended by the Second Skin Therapy Team.
- 2. Temporary markings from the splint are to be expected, just like socks and underwear. If any marks remain visible the following day, please do not use the splint and contact Second Skin immediately for advice.
- 3. Splints are designed to be laundered weekly with extra care to ensure the longevity of your splint.

Please read the care instructions as follows:

Splints should be hand washed or placed in a lingerie bag or pillow case and washed on gentle cool cycle in a front loading washing machine. Wash in water not more than 40°C using a mild detergent without bleaching agents. Rinse thoroughly and remove excess water by rolling in a clean dry towel. Dry flat in the shade. Do not tumble dry, iron or dry clean. Do not use fabric softener.

Some fabrics will be affected by oily based creams and lotions. We therefore recommend you use water or silicone based creams and lotions.













For more information and FAQ's head to the SERVICES section on our website: www.secondskin.com.au



How to apply your Arm Splint



STEP 1: Undo all zips and slide the arm splint up and over the arm.



STEP 2: Position and centre the soft fabric section over the elbow crease.



STEP 3: Place the shoulder strap over the head and under the other arm or under the breast as prescribed.



STEP 4: Ensure the fabric lining behind the zip is flat against the skin before doing the zip up. Place the Velcro tab over the zip at the wrist to protect the skin.



Please note: The zip systems may vary depending on the splint design as shown above.



STEP 5: Check there are no creases in the splint and adjust the strap for best fit using the buckle.



STEP 6: Ensure the seam on the shoulder and Second Skin label are centred over the shoulder.





STEP 7: After adjusting the fit with the buckle, place the fabric sleeve over the buckle to protect the skin.

Please note: Straps may vary depending on the splint design.



We are here to help

If you have any questions, we are here to help:

AUSTRALIA

PERTH 40 O'Malley Street OSBORNE PARK WA 6017

T: +61 8 9201 9455 F: +61 8 9201 9355

E: perth@secondskin.com.au

SYDNEY OFFICE 1 / 8 Northcote Street ST LEONARDS NSW 2065

T: +61 2 9386 0812

E: sydney@secondskin.com.au

BRISBANE OFFICE
2 / 8 Vine Street
STONES CORNER QLD 4120

T: +61 7 3084 4319

E: brisbane@secondskin.com.au

UNITED KINGDOM

LONDON OFFICE
Unit 10, Spectrum House
32-34 Gordon House Road
GOSPEL OAK LONDON NW5 1LP

T: +44 203 627 9937

E: london@secondskin.com.au

Empowering you to be your best – your goals your way